FED. AL EMERGENCY MANAGEMENT AGEN

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 2002

important: Read the instructions on pages 1 - 7.	
SECTION A - PROPERTY OWNER INFORMATION	For Insurance Company Use:
BUILDING OWNER'S NAME El Sonora Associates, L.P.	Policy Number
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.	Company MAIC Nilyettee
1965 Emerald Court	Company NAIC Number
Ortho Sorings State	ZIP CODE
Palm Springs,	92264
PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)	
BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary	/\
LATITUDE (ANGITUDE CORTIONAL)	,
LATITUDE/LONGITUDE (OPTIONAL) HORIZONTAL DATUM: SOURCE: L. GPS (Type (##° - ##′ - ##′ - ##′ - ##′ - ## for ##.####°) NAD 1927 NAD 1983 L. LUSCS ON	
(## - ## - ## or ## #####*)	ad Map Other:
	·
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMA	ATION
B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER B2. COUNTY NAME	B3. STATE
Palm Springs 060257 RIVERSIDE	CA
B4. MAP AND PANEL B5. SUFFIX B6. FIRM INDEX B7. FIRM PANEL B8. FLO	OD B9. BASE FLOOD ELEVATION(S)
NUMBER DATE EFFECTIVE/REVISED DATE ZONE(S) (Zone AO, use depth of flooding)
060257-0008 0 C 6/18/1996 6/18/1996 A3.	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.	
FIS Profile X FIRM Community Determined Other (Describe):	
B11. Indicate the elevation datum used for the BFE in B9: [X] NGVD 1929 [er (Describe):
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protecte	ed Area (OPA)? Yes No
Designation Date:	- 100 <u> </u>
SECTION C. DUILDING ELEVATION DESCRIPTION (CUE)	
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY RE	
C1. Building elevations are based on:	on* Finished Construction
*A new Elevation Certificate will be required when construction of the building is complete.	
C2. Building Diagram Number (Select the building diagram most similar to the building for which	this certificate is being completed - see
Dades 6 and 7. If no diagram accurately represents the half-line period and the state of the sta	
pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)	
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A	AR/A1-A30, AR/AH, AR/AO
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu	AR/A1-A30, AR/AH, AR/AO Im used. If the datum is different from
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate.	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate Datum NGVD 129 Conversion/Comments N/A	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriatum NGVD '29 Conversion/Comments NA	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion.
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriatum NGVD '29 Conversion/Comments N/A Elevation reference mark used RM77 Does the elevation reference mark used a	AR/A1-A30, AR/AH, AR/AO am used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion.
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate Datum NGVD 129 Conversion/Comments N/A Elevation reference mark used RM77 Does the elevation reference mark used a D a) Top of bottom floor (including basement or enclosure)	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion.
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriatum NGVD '29	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion late, to document the datum conversion.
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriatum NGVD '29	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion late, to document the datum conversion.
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriatum NGVD '29	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion.
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriatum NGVD '29	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion. AR/A1-A30, AR/AH, AR/AO Improved the province of t
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriatum NGVD '29	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion. AR/A1-A30, AR/AH, AR/AO Improved the province of t
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriatum NGVD '29	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion. AR/A1-A30, AR/AH, AR/AO Improved the province of t
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriatum NGVD '29	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion. AR/A1-A30, AR/AH, AR/AO Improved the province of t
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate Datum NGVD '29 Conversion/Comments N/A Elevation reference mark used RM77 Does the elevation reference mark used a proposition of a property of the provided and the provided	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion late, to document the datum conversion. Appear on the FIRM? Yes No
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriatum NGVD '29	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion. AR/A1-A30, AR/AH, AR/AO Improved the province of t
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate Datum NGVD 124 Conversion/Comments N/A Elevation reference mark used RM77 Does the elevation reference mark used a a) Top of bottom floor (including basement or enclosure) Does the elevation reference mark used a ft.(m) ft.(m) Does the elevation reference mark used a ft.(m) ft.(m) ANA ft.(m) ft.(m) ANA ft.(m) ft.(m) ANA ft.(m) Does the elevation reference mark used a ft.(m) ANA ft.(m) Th.(m)	AR/A1-A30, AR/AH, AR/AO am used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion. Appear on the FIRM? Yes No was a page of the conversion of the conversion.
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate Datum NGVD 129 Conversion/Comments N/A Elevation reference mark used RM77 Does the elevation reference mark used a a) Top of bottom floor (including basement or enclosure) Does the elevation reference mark used a ft.(m) ft.(m) Does the elevation reference mark used a ft.(m) ft.(m) Does the elevation reference mark used a ft.(m) ft.(m) Does the elevation reference mark used a ft.(m) ft.(m) The provided HAG	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion. Appear on the FIRM? Yes \(\) No read the property of the property
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropri Datum NGVD '29	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion. Appear on the FIRM? Yes No per
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropri Datum NGVD '29	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion. Appear on the FIRM? Yes No per
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate Datum NGYD '29. Conversion/Comments N/A Elevation reference mark used RM77 Does the elevation reference mark used a Does the elevation of Tt.(m) Does the	AR/A1-A30, AR/AH, AR/AO am used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion. Appear on the FIRM? Yes \(\) No represent the property of the prop
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate the calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate the calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate the calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate the calculation of the comments of the calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate the calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate the calculation. Use the space provided or the Comments area of Section D or	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion. Appear on the FIRM? Yes \(\) No read the part of the part
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropriatum NGVD 124. Conversion/Comments NA Elevation reference mark used 2M77. Does the elevation reference mark used a a) Top of bottom floor (including basement or enclosure) b) Top of next higher floor c) Bottom of lowest horizontal structural member (V zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment servicing the building f) Lowest adjacent grade (LAG) g) Highest adjacent grade (HAG) h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade N/A i) Total area of all permanent openings (flood vents) in C3h N/A sq. in. (sq. cm) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFIC This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by la certify that the information in Sections A, B, and C on this certificate represents my best efforts to into a lunderstand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code CERTIFIER'S NAME LICENSE NUMBE TITLE COMPANY NAME LICENSE NUMBE COMPANY NAME LICENSE NUMBE	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion late, to document the datum conversion. Appear on the FIRM? Yes INO INDICATE IN INTICATE IN INDICATE IN INDICATE IN INDICATE IN INDICATE IN INDICAT
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A Complete Items C3a-i below according to the building diagram specified in Item C2. State the datu the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field m calculation. Use the space provided or the Comments area of Section D or Section G, as appropri Datum NGVD 124 Conversion/Comments N/A Elevation reference mark used 2M77 Does the elevation reference mark used a) Top of bottom floor (including basement or enclosure) Does the elevation reference mark used a) Th.(m) Th.(m) N/A ft.(m) N/A ft.(m) N/A ft.(m) N/A ft.(m) Th.(m) Phylor ft.(m) Th.(m) Th.(m) Th.(m) Th.(m) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFIC This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by la l certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret that the information in Sections A, B, and C on this certificate represents my best efforts to interpret that the information in Sections A, B, and C on this certificate represents my best efforts to interpret that the information in Sections A, B, and C on this certificate represents my best efforts to interpret that the information in Sections A, B, and C on this certificate represents my best efforts to interpret that the information in Sections A, B, and C on this certificate represents my best efforts to interpret that the information in Sections A, B, and C on this certificate represents my best efforts to interpret that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the convergence of the converg	AR/A1-A30, AR/AH, AR/AO im used. If the datum is different from neasurements and datum conversion iate, to document the datum conversion. Appear on the FIRM? X Yes No No No No No No No N

		ection A.	For insurance Company Use:
BUILDING STREET ADDRESS (Including Apt., Unit) te, and/or Bidg.		UTE AND BOX NO	Policy Number
CITY - STAT	E CA	ZIP CODI 97234	Company NAIC Number
Palm Springs SECTION D - SURVEYOR, ENGINEER			ONTINUED)
Copy both sides of this Elevation Certificate for (1) community of			
comments I have certified the po			
1 have certified fre pr	ad and	700 01 1000	1
		1	
			I I Check here if attachments
SECTION E - BUILDING ELEVATION INFORMATION (SUF	NEV NOT DEC	LURED) FOR ZONE AC	
or Zone AO and Zone A (without BFE), complete Items E1 through	igh F4 If the FI	evation Certificate is inte	nded for use as supporting
nformation for a LOMA or LOMR-F. Section C must be completed	d.		
1. Building Diagram Number (Select the building diagram	n most similar to	the building for which th	is certificate is being completed –
see pages 6 and 7. If no diagram accurately represents the b	ouilding, provide	a sketch or photograph	.) _lin.(cm)
The top of the bottom floor (including basement or enclosure) (check one) the highest adjacent grade.	of the building	S [] IL.(III) [
(check one) the highest adjacent grade. 3. For Building Diagrams 6-8 with openings (see page 7), the ne	ext higher floor o	r elevated floor (elevation	n b) of the building is
I I I I I I I I I I I I I I I I I I I	<u>.</u>		
4. For Zone AO only: If no flood depth number is available, is the floodplain management ordinance? Yes No	ne top of the bot	tom floor elevated in acc local official must certify	this information in Section G.
SECTION F - PROPERTY OWNER (OF	R OWNER'S RE	PRESENTATIVE) CER	TIFICATION
The property owner or owner's authorized representative who co	ompletes Section	ns A, B, and E for Zone	A (without a FEMA-issued or
community-issued BFE) or Zone AO must sign here.		wt.	•
PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTAT	IVE'S NAME		
	CITY	STA	re ZIP CODE
ADDRESS			PHONE
SIGNATURE	DATE	IELE	STONE .
COMMENTS			
			Check here if attachment
SECTION G - COMMU			
he local official who is authorized by law or ordinance to adminis	ster the commun	nity's floodplain manage	ment ordinance can complete
Sections A, B, C (or E), and G of this Elevation Certificate. Comp 61. [] The information in Section C was taken from other docur	olete the applica	ble item(s) and sign bei as been signed and emi	oossed by a licensed surveyor.
engineer, or architect who is authorized by state or local	law to certify el	evation information. (In	dicate the source and date of the
cloudiant the Comments area below)			
62. A grade in Gal completed Section E for a building I	ocated in Zone	A (without a FEMA-issue	ed of community-issued BFE) of
THE STATE OF THE S	•		
22 1 47% (Clowing into motion (Items G4-G9) is provided for o	community floor	plain management purp	oses.
33. Latin Glowing inforced (Items G4-G9) is provided for C	community floor	plain management purp	oses. E OF COMPLIANCE/OCCUPANCY
G4. REPUIT NUMBER OF G5. DATE PERMIT ISSUED	₹	G6. DATE CERTIFICATI	oses. E OF COMPLIANCE/OCCUPANCY
G4. REPUIT NUMBER of G5. DATE PERMIT ISSUED 7. This permit has been issued or: I I New Construction	, Substantia	G6. DATE CERTIFICATI	E OF COMPLIANCE/OCCUPANCY
G4. FERNIT NUMBER CT3 G5. DATE PERMIT ISSUED G7. This permit has been issued or: New Construction G8. Elevation of as-boild lowest floor (including basement) of the	: .II Şubstantia building is:	G6. DATE CERTIFICATI	OF COMPLIANCE/OCCUPANCY ft.(m) Datum:
G4. FERNIT NUMBER or G5. DATE PERMIT ISSUED G7. This permit has been issued for: New Construction of the G9. BFE of (in Zone AO) depth of flooding at the building site is:	Şubstantia building is:	G6. DATE CERTIFICATI ISSUED Improvement	E OF COMPLIANCE/OCCUPANCY
G3. Land Glowing information (Items G4-G9) is provided for G4. FERNIT NUMBER G3 G5. DATE PERMIT ISSUED G7. This permit has been issued for: Land New Construction (is Elevation of as-build-dwest-floor (including basement) of the G9. BFE of (in Zone AO) depth of flooding at the building site is:	, L_I Şubstantia building is:	G6. DATE CERTIFICATI ISSUED Improvement	OF COMPLIANCE/OCCUPANCY ft.(m) Datum:
G4. FERNIT NUMBER CO. G5. DATE PERMIT ISSUED G7. This permit has been issued or: New Construction G8. Elevation of as-built lowest floor (including basement) of the construction o	, L_I Şubstantia building is:	G6. DATE CERTIFICATI ISSUED Improvement	OF COMPLIANCE/OCCUPANCY ft.(m) Datum:
G4. FERNIT NUMBER or G5. DATE PERMIT ISSUED G7. This permit has been issued for: New Construction (as Elevation of as Build west floor (including basement) of the G9. BFE or (in Zone AO) depth of flooding at the building site is: LOCAL OFFICIAL'S NAME COMMUNITY NAME	, L_I Şubstantia building is:	G6. DATE CERTIFICATI ISSUED Improvement EEPHONE	OF COMPLIANCE/OCCUPANCY ft.(m) Datum:
G4. FERNIT NUMBER or G5. DATE PERMIT ISSUED G7. This pennit has been issued for: New Construction (as Elevation of as Build west floor (including basement) of the G9. BFE or (in Zone AO) depth of flooding at the building site is: LOCAL OFFICIAL'S NAME COMMUNITY NAME SIGNATURE	, Substantia building is: TITI	G6. DATE CERTIFICATI ISSUED I Improvement E EPHONE	E OF COMPLIANCE/OCCUPANCY ft.(m) Datum: ft.(m) Datum:
G4. REPUIT NUMBER or G5. DATE PERMIT ISSUED G7. This permit has been issued or: New Construction (including basement) of the G9. BFE or (in Zone AC) depth of flooding at the building site is: LOCAL OFFICIAL'S NAME COMMUNITY NAME SIGNATURE COMMENTS	, Substantia building is: TITI	G6. DATE CERTIFICATI ISSUED I Improvement E EPHONE	OF COMPLIANCE/OCCUPANCY ft.(m) Datum:
G4. FERRIT NUMBER of G5. DATE PERMIT ISSUED G7. This permit has been issued or: New Construction of S8. Elevation of as-built lowest floor (including basement) of the G9. BFE or (in Zone AC) depth of flooding at the building site is: LOCAL OFFICIAL'S NAME COMMUNITY NAME SIGNATURE COMMENTS	, Substantia building is: TITI TEL	G6. DATE CERTIFICATI ISSUED I Improvement E EPHONE	E OF COMPLIANCE/OCCUPANCY ft.(m) Datum: ft.(m) Datum:
G4. REPUIT NUMBER of G5. DATE PERMIT ISSUED G7. This permit has been issued or: New Construction G8. Elevation of as-boil/lowest floor (including basement) of the G9. BFE or (in Zone AC) depth of flooding at the building site is: LOCAL OFFICIAL'S NAME COMMUNITY NAME SIGNATURE COMMENTS	, Substantia building is: TITI	G6. DATE CERTIFICATI ISSUED I Improvement E EPHONE	E OF COMPLIANCE/OCCUPANCY ft.(m) Datum: ft.(m) Datum:

FE RAL EMERGENCY MANAGEMENT AGE NATIONAL FLOOD INSURANCE PROGRAM

AL FLOOD INSURANCE PROGRAM

Expires July 31, 2002

O.M.B. No. 3067-0077

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

For Insurance Company Use: SECTION A - PROPERTY OWNER INFORMATION Policy Number **BUILDING OWNER'S NAME** Sonora Associates, L.P. BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. Company NAIC Number Emerald Ct. STATE ZIP CODE 92264 PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Tract 26333 BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.) esidentia SOURCE: LATITUDE/LONGITUDE (OPTIONAL) HORIZONTAL DATUM: GPS (Type): (##° - ##' - ##.##" or ##.####") ■ NAD 1983 **USGS Quad Map** |__| NAD 1927 SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION **B3. STATE** B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER B2. COUNTY NAME Kiverside 060257 oci has **B9. BASE FLOOD ELEVATION(S)** B8. FLOOD **B7. FIRM PANEL B4. MAP AND PANEL B5. SUFFIX B6. FIRM INDEX** (Zone AO, use depth of flooding) NUMBER EFFECTIVE/REVISED DATE ZONE(S) DATE 1996 A3, B 1996 6/18/ 060257-0008 B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9. |X FIRM | | Community Determined | | Other (Describe): I FIS Profile B11. Indicate the elevation datum used for the BFE in B9: |X| NGVD 1929 | NAVD 1988 | Other (Describe): B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? |__| Yes **Designation Date:** SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) _Building Under Construction* IXIFinished Construction C1. Building elevations are based on: | |Construction Drawings* *A new Elevation Certificate will be required when construction of the building is complete. C2. Building Diagram Number ____ (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments, area of Section D or Section G, as appropriate, to document the datum conversion. Datum NGYO '29 Conversion/Comments Does the elevation reference mark used appear on the FIRM? |X| Yes Elevation reference mark used RM 7.7 .50 ft.(m) ☐ a) Top of bottom floor (including basement or enclosure) ft.(m) □ b) Top of next higher floor c) Bottom of lowest horizontal structural member (V zones only) ft.(m) ☐ d) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment Exp. 6-30-03 servicing the building O ft.(m) f) Lowest adjacent grade (LAG) O_ ft.(m) g) Highest adjacent grade (HAG) ☐ h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade _ N/A i) Total area of all permanent openings (flood vents) in C3h _ N/A sq. in. (sq. cm) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. Lecrtify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. LICENSE NUMBER TELEPHONE REPLACES ALL PREVIOUS EDITIONS SEE REVERSE SIDE FOR CONTINUATION