



# **CITY OF PALM SPRINGS GUIDELINES AND APPLICATION**

## **FUGITIVE DUST CONTROL PLAN (PM-10)**

**(UPDATED: APRIL 2014)**

### **FOR PROJECTS LESS THAN 10 ACRES**

The Coachella Valley dust control ordinances require submittal and approval of a Fugitive Dust Control Plan prior to:

- Issuance of grading permit. Approval of this plan does not constitute a City Engineering grading permit for project initiation.
- Issuance of a building permit for projects with 5,000 or more square feet of soil disturbance. Approval of this plan does not constitute a City Building permit for project initiation.
- Issuance of permits for projects that import or export more than 50 cubic yards of bulk material per day

Projects with more than 5,000 square feet of disturbed surfaces must post a cash deposit of \$2000 per acre with the City prior to project initiation.

The person(s) completing this plan must attach a copy of the "Certificate of Completion" for Coachella Valley Fugitive Dust Control Class issued by the South Coast Air Quality Management District.

**DUST CONTROL IS REQUIRED 24 HOURS A DAY – 7 DAYS A WEEK – REGARDLESS OF  
CONSTRUCTION STATUS.**

1/23



# FUGITIVE DUST CONTROL PLAN (PM-10) APPLICATION

## FOR PROJECTS LESS THAN 10 ACRES

Project Name: \_\_\_\_\_

Project Address: \_\_\_\_\_

Project Type:  Single Family  Commercial  Subdivision  Demolition

Number of: \_\_\_\_\_ Square Feet OR \_\_\_\_\_ Acres

### ↓ ↓ ↓ ↓ FOR CITY USE ONLY ↓ ↓ ↓ ↓

Based on all the provision contained in this Fugitive Dust Control Plan (PM-10), this plan is:

Approved  Dust Deposit: \$ \_\_\_\_\_  Paid: \_\_\_\_\_  
Amount Date

*NOTE: ANY REFUND ISSUED WILL BE RETURNED DIRECTLY TO THE NAME AND ADDRESS ON THE CHECK UNLESS OTHERWISE NOTED HERE:* \_\_\_\_\_

Conditionally Approved (conditions specified below)

Denied (explanation attached)

\_\_\_\_\_  
SIGNATURE OF CITY REPRESENTATIVE

\_\_\_\_\_  
DATE

The following conditions have been added to the Plan by staff in order to ensure an adequate level of fugitive dust control.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(Attach additional information if necessary)

### ↑ ↑ ↑ ↑ FOR CITY USE ONLY ↑ ↑ ↑ ↑

I have read the above additional conditions of the Fugitive Dust Control Plan (PM-10) and I agree to implement all of the provisions at the concentrations and frequencies identified.

\_\_\_\_\_  
SIGNATURE OF OWNER

\_\_\_\_\_  
DATE

## DUST CONTROL IS REQUIRED 24 HOURS A DAY – 7 DAYS A WEEK – REGARDLESS OF CONSTRUCTION STATUS. 2/23



# FUGITIVE DUST CONTROL PLAN (PM-10) AGREEMENT

## FOR PROJECTS LESS THAN 10 ACRES

Property Owner(s): \_\_\_\_\_  
PRINT NAME(S)

Property Address: \_\_\_\_\_  
\_\_\_\_\_

### PROPERTY OWNER

The signature of the property owner(s) below shall act as their acknowledgement of dust control requirements and their enforceability pursuant to South Coast Air Quality Management District (SCAQMD) Rules 403 and 403.1. This document shall constitute an agreement to comply with all project conditions as identified in the approved dust control plan.

**FAILURE TO CALL FOR INSPECTION PRIOR TO INITIATING ANY WORK AT THE SITE WILL RESULT IN THE ISSUANCE OF AN ADMINISTRATIVE CITATION WITH A MINIMUM FINE OF \$100 PER DAY.**

The property owner shall:

1. Acknowledge that dust control is required 24 hours a day, 7 days a week, throughout the period of project performance, regardless of project size or status; ground must remain in a damp condition.
2. Shall retain a copy of the approved dust control plan on-site during the duration of the project;
3. Shall ensure that each and every contractor/subcontractor and all other persons associated with the project shall be in continuous compliance with all requirements of the approved dust control plan;
4. Shall take all necessary precautions to minimize dust, even if additional measures beyond those listed in the dust control plan are necessary;
5. Shall call the City at (760) 323-8253, Ext. 8740 at least 72 hours prior to project initiation for inspection. Proper placement of the wind fence, dust control signage and on-site water source must be approved by the City inspector prior to import/export of material onto or off-site, grubbing, or grading of site;

**DUST CONTROL IS REQUIRED 24 HOURS A DAY – 7 DAYS A WEEK – REGARDLESS OF CONSTRUCTION STATUS.**

3/23



# FUGITIVE DUST CONTROL PLAN (PM-10) AGREEMENT

## FOR PROJECTS LESS THAN 10 ACRES

- 6. Shall authorize representatives of the City to enter upon the above mentioned property for inspection and/or abatement purposes;
- 7. Shall hold harmless the City and its representatives from liability for any actions related to this dust control plan or City initiated abatement activities.

### PARTY RESPONSIBLE FOR ADMINISTRATIVE CITATIONS:

Name: \_\_\_\_\_

Title: \_\_\_\_\_

Address: \_\_\_\_\_

Office Phone: \_\_\_\_\_ Extension: \_\_\_\_\_

Cell Phone: \_\_\_\_\_ Fax Phone: \_\_\_\_\_

Email Address: \_\_\_\_\_

Property Owner: \_\_\_\_\_

PRINT NAME

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Title: \_\_\_\_\_

Company: \_\_\_\_\_



### GRADING CONTRACTOR

I have read the conditions of the Fugitive Dust Control Plan (PM-10) and the owner has authorized the implementation of all provisions through project build out.

Contractor: \_\_\_\_\_  
PRINT NAME

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Title: \_\_\_\_\_

Company: \_\_\_\_\_

DUST CONTROL IS REQUIRED 24 HOURS A DAY – 7 DAYS A WEEK – REGARDLESS OF CONSTRUCTION STATUS. 4/23



# FUGITIVE DUST CONTROL PLAN (PM-10) INITIAL SITE INSPECTION

## FOR PROJECTS LESS THAN 10 ACRES

This form is to be presented to the City Dust Control Inspector at the time of initial on-site inspection. No import/export of materials onto or off-site, grubbing, or grading are to be conducted at the site prior to inspection and approval by the City Dust Inspector

Project Name: \_\_\_\_\_

Project Address: \_\_\_\_\_

Contractor: \_\_\_\_\_

Title: \_\_\_\_\_

Date of Inspection: \_\_\_\_\_

Dust Control Inspector: \_\_\_\_\_

Wind Fence: \_\_\_\_\_

### DUST CONTROL SIGN

Size and Lettering: \_\_\_\_\_

Location: \_\_\_\_\_

Mounting: \_\_\_\_\_

Water Source: \_\_\_\_\_

Approved

NOT Approved

Inspector Signature: \_\_\_\_\_

Contractor or Owner Signature: \_\_\_\_\_

DUST CONTROL IS REQUIRED 24 HOURS A DAY – 7 DAYS A WEEK – REGARDLESS OF  
CONSTRUCTION STATUS.

5/23



# FUGITIVE DUST CONTROL PLAN (PM-10) SUBMITTAL CHECKLIST

## FOR PROJECTS LESS THAN 10 ACRES

The property owner or his/her representative is responsible for complying with the South Coast Air Quality Management District's (SCAQMD) dust control (PM-10) rules which are outlined in the Coachella Valley Fugitive Dust Control Handbook. A copy of the handbook can be obtained from the SCAQMD located in Diamond Bar, California at (909) 396-2183.

The following forms and documents must be completed and submitted to the City prior to processing of the Fugitive Dust Control Plan (FDCP). Please initial each item to acknowledge that the form or document adjacent to the box has been completed and is included with the application. This checklist must be included with the FDCP application.

### Initial Each Item

- Included property owner and property address on Fugitive Dust Control Plan (PM-10) Agreement, pages 3 & 4. The owner signed and dated the form. If a contractor has not been chosen at the date of submittal, indicated so. The contractor's information and signature must be provided before final approval of the FDCP.
- Read and will comply with Fugitive Dust Control Plan (PM-10) requirements on pages 8 thru 10, inclusive.
- Included an 8 ½" x 11" (letter-size) site plan as required for all projects. Included all items on site plan applicable to the project. **All projects, regardless of the size, must install a wind fence.** The wind fence must be placed a minimum of 5 feet from the curb to allow for pedestrian passage if no sidewalk is present. The site plan can be combined with the required vicinity map to generate one map with all required items for both the site plan and the vicinity map. (See example on Page 11)
- Completed all project information items on Page 12. Indicated NA if not applicable to the project.
- Listed dust control measures for each phase of the project on pages 13 thru 16, inclusive. If the same measures will be used for each phase, you indicated so on each page by writing same as for clearing/grubbing, mass grading, etc. Indicated NA if phasing is not applicable to the project.
- Completed all items for project information for owner or owner's representative on page 17. **A 24-hour local or toll free number must be listed here and on the project dust control sign.**



# FUGITIVE DUST CONTROL PLAN (PM-10) SUBMITTAL CHECKLIST

## FOR PROJECTS LESS THAN 10 ACRES

- Completed all project information for General contractor on page 18. If the owner is also the general contractor, indicate so on this page by writing “**owner is also general contractor, see page 17 for required information**”. The contractor(s) information must be provided before final approval of the FDCP.
- Completed all project information for sub-contractor(s) on page 19. If the owner is also the sub-contractor, indicate so on this page by writing “**owner is also sub-contractor, see page 17 for required information**”. If sub-contractor(s) have not been chosen at the date of application, indicate so. The sub-contractor(s) information must be provided before final approval of the FDCP.
- Included an 8 ½” x 11” (letter-size) map showing the vicinity of the project and clearly identifying the closest major cross streets or other landmarks and the project location. Labeled this map “**Vicinity Map**”. This map can be combined with the site plan to generate one map with all required items for both the site plan and vicinity map.
- Included an 8 ½” x 11” (letter-size) Assessor’s Parcel Map (multiple pages if necessary) for the property (ies) on which the project will be occurring. Outline or highlight the affected parcels and identified location of all site entrances.
- Attached a copy of the “**Certificate of Completion**” for the Coachella Valley Fugitive Dust Control Class issued by SCAQMD. The individual listed on the certificate is officially designated in the proposed Dust Control Plan as the person responsible for fugitive dust control on the site.



# FUGITIVE DUST CONTROL PLAN (PM-10) REQUIREMENTS

## FOR PROJECTS LESS THAN 10 ACRES

1. Notify the City of Palm Springs, Public Works and Engineering Division at (760) 323-8253, Ext. 8740 at least 72 hours prior to project initiation and after completion of construction.
2. The site shall be pre-watered for at least 72 hours prior to the physical start of clearing, grubbing or grading.
3. A complete copy of the approved Fugitive Dust Control Plan (PM-10) and all maps must be on-site prior to beginning construction activity and must be retained on-site at all times during project construction.
4. Grading plans must include a statement that incorporates the approved fugitive dust control plan into the approved grading plan. An 8 ½" x 11" (letter-size) stand alone fugitive dust control plan is required if the information is included on an approved grading plan.
5. During all grading and earthwork operations, multiple daily applications of water shall be made or soil otherwise stabilized on a regular basis to minimize the emission of visible dust across the perimeter property lines of the site. This shall include watering before and after actual working hours, 24-hours a day, 7 days a week, including holidays and weekends as necessary. Daily record keeping of dust control actions is required to be compiled and retained on-site during project duration and for three years after project completion.
6. After grading is completed and during the entire construction phase until the project is completed, multiple daily applications of water shall be made or soil otherwise stabilized to prevent dust and soil from migrating across property lines. This shall include watering before and after actual construction hours, 24-hours a day, 7 days a week, including weekends and holidays as necessary to control the mitigation of dust and soil. On days when wind is of sufficient velocity to cause surface drying and the potential for transportation of dust and soil across the property lines, a temporary sprinkler system or other mechanism approved by the Public Works and Engineering Division shall be left in operation.
7. Any operations in the Coachella Valley Blowsand Zone (defined as the corridor of land extending two miles to either side of the centerline of I-10 Freeway) shall stabilize new man-made deposits of bulk material within 24 hours of making such bulk material deposits. Stabilization procedures shall include one or more of the following:
  - A. Application of water to at least 70 percent of the surface area of any bulk material deposits at least 3 times for each day that there is evidence of wind drive fugitive dust;
  - B. Application of chemical stabilizers in sufficient concentrations so as to maintain a stabilized surface for a period of at least 6 months;

**DUST CONTROL IS REQUIRED 24 HOURS A DAY – 7 DAYS A WEEK – REGARDLESS OF  
CONSTRUCTION STATUS.**

8/23





# FUGITIVE DUST CONTROL PLAN (PM-10) REQUIREMENTS

## FOR PROJECTS LESS THAN 10 ACRES

- C. Install windbreaks of such design so as to reduce maximum wind gusts to less than 25 miles per hour in the area of the bulk material deposits.
8. To minimize track-out of soil or debris, wheels, tires and other surfaces of vehicles (i.e. truck beds, mud flaps, side boards, etc.) that may collect loose material shall be inspected and washed prior to exiting onto public streets. The dust control ordinance also requires at least one of the following track-out control devices for projects **greater than five acres** or those that **import or export more than 100 cubic yards** of material per day:
  - A. Gravel pad consisting of minimum one inch or larger washed gravel maintained to a depth of six inches at least 50 feet long and 30 feet wide; OR
  - B. Paved surface extending at least 100 feet into the site and at least 20 feet wide; OR
  - C. Wheel shaker/wheel spreading device consisting of raised dividers (rails, pipes, or grates) at least 3 inches tall at least 6 Inches apart; OR
  - D. Installation and maintenance of wheel washing system
9. City streets shall be cleaned on a daily basis to remove soil, or other debris originating from the site to the satisfaction of the Public Works and Engineering Division inspector. If at anytime material (i.e. dust, mud, soil, gravel, sand, etc.) extends on the street for a cumulative distance of more than 25 feet from any site access, immediate removal is required.
10. Soil or other potential dust generation materials transported onto or from the site using public streets, shall be watered sufficiently to prevent generation of dust and then covered so as to prevent any spillage during transport. If deemed necessary, the Public Works and Engineering Division may specify additional measures.
11. Within 10 days of ceasing activity, an operator shall implement at least one of the following long-term stabilization techniques for any disturbed surface area where construction activities are not scheduled to occur for at least 30 days. **Following stabilization of all disturbed areas, perimeter fencing shall be removed, as required by the City Engineer. :**
  - A. Revegetation that results in 75 percent ground coverage provided that an active watering system is in place at all times; OR
  - B. Establishment of a stabilized surface through watering with physical access restriction surrounding area; OR



# FUGITIVE DUST CONTROL PLAN (PM-10) REQUIREMENTS

## FOR PROJECTS LESS THAN 10 ACRES


- C. Use chemical stabilizers to establish a stabilized surface with physical access restriction surrounding the area.
12. Failure to abide by these regulations may be cause for abatement by the Public Works and Engineering Division and any costs billed to the responsible party.
13. Appropriate signs meeting City and South Coast Air Quality Management District (SCAQMD) specifications are to be posted at the perimeter of each construction site. Generally, signage should be located on each side of the project area and within 50 feet of the project site boundary. **No clearing, grubbing, grading, or import/export of soil or other potential dust generating materials (i.e. base, gravel, sand, etc.) shall be allowed to occur at the site prior to placement of the required signs. Inspections by Public Works and Engineering Division will not be conducted unless signs are erected and lettered with the required information.** The signs shall be maintained at all times and remain in place until completion of the project. Each sign shall include the following information:
1. Developer's Name
  2. Project Name / Tract Number
  3. Permit Number / Address
  4. Name and phone of person(s) responsible for dust control at the site. This number should be a local or toll free number manned 24-hours a day, 7 days a week.
  5. Phone number for City complaints
  6. Phone number of the South Coast Air Quality Management District complaint line: 1-800-228-7664.
14. A map showing the vicinity of the project and clearly identifying the closest major cross streets or other landmarks and the project location must be included with the Fugitive Dust Control Plan application. Lave this map "**Vicinity Map**". Required map size is 8 ½" x 11" (letter-size).
15. An 8 ½" x 11" (letter-size) Assessor Parcel Map for the property(ies) on which the project will be occurring must be included with the Fugitive Dust Control Plan application. Outline or highlight the affected parcels. Identify location of site entrances, internal unpaved haul routes, wind fencing, areas to be chemically stabilized and other proposed and required dust control mitigations, Projects that are only installing or constructing linear features such as roads, pipelines, or other utilities that border or cross more than one Assessor's parcel do not require Assessor's Parcel Maps. However, a detailed vicinity map adequately depicting the entire project area must be provided. If the project is divided into construction phases (separate physical project areas), provide a map clearly identifying the phases.



# FUGITIVE DUST CONTROL PLAN (PM-10) SAMPLE SITE PLAN

## FOR PROJECTS LESS THAN 10 ACRES

ALL SITES REGARDLESS OF SIZE REQUIRE A WIND FENCE.  
SITES LESS THAN 1 ACRE ONLY REQUIRE ITEM 1.



DUST CONTROL IS REQUIRED 24 HOURS A DAY – 7 DAYS A WEEK – REGARDLESS OF CONSTRUCTION STATUS. 11/23



# FUGITIVE DUST CONTROL PLAN (PM-10) PROJECT INFORMATION

## FOR PROJECTS LESS THAN 10 ACRES

**PROJECT ACREAGE:** \_\_\_\_\_  
(1 acre = 43,560 s.f.)

**TOTAL EARTH MOVEMENT:** \_\_\_\_\_  
(Cubic Yards.)

**MAXIMUM DAILY EARTH MOVEMENT:** \_\_\_\_\_  
(Cubic Yards.)

**WATER SOURCE:** \_\_\_\_\_

**WATER AVAILABILITY:** \_\_\_\_\_  
(Gallons/Minute)

**BACK-UP WATER SOURCE:** \_\_\_\_\_  
(If Applicable)

## WATER DELIVERY EQUIPMENT

<b>INDICATE TYPE &amp; CAPACITY</b> Coverage capacity per s.f./ac. per hour	<b>NUMBER OF UNITS</b> (per s.f./acres(s))	<b>FREQUENCY/CONDITIONS OF USE</b> (Number of times per hour, per day, etc. including Weekends and holidays)
WATER TRUCK(S)		
WATER PULL(S)		
WATER HOSE(S)		
WATER TOWER(S)		
IRRIGATION SYSTEM		

**DUST CONTROL IS REQUIRED 24 HOURS A DAY – 7 DAYS A WEEK – REGARDLESS OF CONSTRUCTION STATUS.** 12/23













# FUGITIVE DUST CONTROL PLAN (PM-10) OWNER/REPRESENTATIVE INFORMATION

## FOR PROJECTS LESS THAN 10 ACRES

Name: \_\_\_\_\_

Title (If applicable): \_\_\_\_\_

Company Name (If applicable): \_\_\_\_\_

Mailing Address: \_\_\_\_\_

City: \_\_\_\_\_

Zip Code: \_\_\_\_\_

Location Address: \_\_\_\_\_

Primary Phone: \_\_\_\_\_

Fax: \_\_\_\_\_

24 Hour Access/Emergency Phone: \_\_\_\_\_

Cell Phone: \_\_\_\_\_

Email Address: \_\_\_\_\_

Responsible for dust control during construction activities?

Yes       No

If No, explain:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Responsible for dust control during off hours?

Yes       No

If No, explain:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



# FUGITIVE DUST CONTROL PLAN (PM-10) GENERAL CONTRACTOR INFORMATION

## FOR PROJECTS LESS THAN 10 ACRES

Name: \_\_\_\_\_

Title (If applicable): \_\_\_\_\_

Company Name (If applicable): \_\_\_\_\_

Mailing Address: \_\_\_\_\_

City: \_\_\_\_\_

Zip Code: \_\_\_\_\_

Location Address: \_\_\_\_\_

Primary Phone: \_\_\_\_\_

Fax: \_\_\_\_\_

24 Hour Access/Emergency Phone: \_\_\_\_\_

Cell Phone: \_\_\_\_\_

Email Address: \_\_\_\_\_

Responsible for dust control during construction activities?

Yes       No

If No, explain:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Responsible for dust control during off hours?

Yes       No

If No, explain:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



# FUGITIVE DUST CONTROL PLAN (PM-10) SUB-CONTRACTOR INVOLVED IN EARTH MOVEMENT AND/OR SOIL STABILIZATION

## FOR PROJECTS LESS THAN 10 ACRES

Name: \_\_\_\_\_

Title (If applicable): \_\_\_\_\_

Company Name (If applicable): \_\_\_\_\_

Mailing Address: \_\_\_\_\_

City: \_\_\_\_\_

Zip Code: \_\_\_\_\_

Location Address: \_\_\_\_\_

Primary Phone: \_\_\_\_\_

Fax: \_\_\_\_\_

24 Hour Access/Emergency Phone: \_\_\_\_\_

Cell Phone: \_\_\_\_\_

Email Address: \_\_\_\_\_

Responsible for dust control during construction activities?

Yes       No

If No, explain:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Responsible for dust control during off hours?

Yes       No

If No, explain:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DUST CONTROL IS REQUIRED 24 HOURS A DAY – 7 DAYS A WEEK – REGARDLESS OF  
CONSTRUCTION STATUS.**

19/23



# FUGITIVE DUST CONTROL PLAN (PM-10) SIGN REQUIREMENTS

**FOR PROJECTS LESS THAN 10 ACRES**

REFER TO PAGE 22 FOR SIGN & LETTERING  
SIZE REQUIREMENTS

ALL LETTERS  
SHALL BE  
BOLD FACE TYPE



DEVELOPER'S NAME: ACME BUILDERS  
TRACT #: 9999  
PROJECT NAME: PALM SPRINGS TRACT  
CONTRACTOR: JOHN Q BUILDER  
GRADING PERMIT #: C-999  
CITY (E) NUMBER: E-9999

IF YOU SEE DUST COMING FROM  
THIS PROJECT CALL:

ALL LETTERS  
SHALL BE  
BOLD FACE TYPE



NAME & PHONE NUMBER:  
(XXX) XXX-XXXX

ALL LETTERS  
SHALL BE  
BOLD FACE TYPE



IF YOU DO NOT GET A RESPONSE WITHIN ONE HOUR  
PLEASE CALL:

8:00AM - 6:00PM MONDAY THRU THURSDAY (760) 323-8253 - CITY OF  
PALM SPRINGS, PUBLIC WORKS AND ENGINEERING DEPARTMENT

AFTER HOURS, WEEKENDS (760) 323-8115 - CITY OF PALM SPRINGS  
POLICE DEPARTMENT

OR CALL THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
(AQMD) AT (800) CUT-SMOG (800) 288-7664

**DUST CONTROL IS REQUIRED 24 HOURS A DAY – 7 DAYS A WEEK – REGARDLESS OF  
CONSTRUCTION STATUS.**

20/23



# FUGITIVE DUST CONTROL PLAN (PM-10) DUST CONTROL SIGNAGE REQUIREMENTS

## FOR PROJECTS LESS THAN 10 ACRES

1. The sign(s) shall be constructed with materials capable of withstanding the harsh environment (e.g. strong winds, intense sunlight, and rain) of the Palm Springs area.
2. No handwritten signs will be accepted. Stenciled professionally prepared signs are required. Signs shall be constructed to the following **minimum** standards:
  - a. 1 thick A/C laminated plywood board
  - b. One (1) 4 x 4 post set in 2 foot deep foundation
  - c. Post shall be attached to plywood with two (2) carriage bolts.
  - d. The front surface of the sign should be painted in the contrasting colors of a white background with black lettering. (Other color combinations must be approved in advance by the Public Works and Engineering Division).
  - e. Commercially prepared metal signs mounted on steel posts are also acceptable.
  - f. Quantity and location of signs must be approved in advance by the Public Works and Engineering Division.
  - g. Refer to page 22 for proper sign and letter dimensions with relation to project site acreage.
3. The sign(s) shall be installed and maintained in a condition such that members of the public can easily view, access, and read the signs(s). Additionally:
  - a. The lower edge of the sign(s) shall be mounted a minimum of 6 feet and a maximum of 7 feet above the existing ground level for easy viewing.
  - b. On the construction site, sign(s) should be positioned so as to be visible from all major streets on each side, or sides of the project within 50 feet of the project boundary.
  - c. For construction projects that are developed in phases, the sign(s) should be relocated to the areas, which are under active construction.



# FUGITIVE DUST CONTROL PLAN (PM-10) DUST CONTROL SIGNAGE REQUIREMENTS

## FOR PROJECTS LESS THAN 10 ACRES

SIGN AND LETTERING REQUIREMENTS (ALL DIMENSIONS IN INCHES)			
PROJECT SIZE	< 1 ACRE	1.01-9.99 ACRES	OVER 10 ACRES
<b>SIGN SIZE</b>	24H X 36W	36H X 48W	48H X 96W




PERMIT #	< 1 ACRE	1.01-9.99 ACRES	OVER 10 ACRES
DEVELOPER'S NAME	2	3	4
PROJECT NAME/TRACT #	2	3	4
IF YOU SEE DUST COMING FROM	2	3	4
THIS PROJECT CALL:	2	3	4
NAME/PHONE NUMBER/XXX-XXXX	3	4.5	6
IF YOU DO NOT RECEIVE A RESPONSE, PLEASE CALL	1.5	2.25	3
CITY POLICE AT XXX-XXXX	1.5	2.25	3
OR CALL AQMD 800-CUT-SMOG	1.5	2.25	3

**DUST CONTROL IS REQUIRED 24 HOURS A DAY – 7 DAYS A WEEK – REGARDLESS OF CONSTRUCTION STATUS.** 22/23



# FUGITIVE DUST CONTROL PLAN (PM-10) AQMD DUST CONTROL CLASS INFORMATION

TO OBTAIN A FUGITIVE DUST CONTROL CERTIFICATION, YOU MUST ATTEND A THREE (3) HOUR SEMINAR AT THE COACHELLA VALLEY ASSOCIATION OF GOVERNMENTS (C.V.A.G.) OFFICES AT:



**C.V.A.G.**  
**Conference Room 119**  
**73-710 Fred Waring Drive**  
**Palm Desert, CA 92260**



**South Coast Air Quality  
Management District**  
Regional air pollution control agency  
with the authority to regulate  
emissions, including fugitive dust.

## WHO SHOULD ATTEND:

- City Managers
- Public Works Officers
- City Planners
- City Engineers
- Builders
- Large Site Landscapers
- Landfill Operators
- Developers
- Contractors

## WHAT THE SEMINAR WILL COVER:

- AQMD Rule Requirements
  - Rule 403 (Fugitive Dust)
  - Rule 402 (Public Nuisance)
  - Rule 401 (Visible Emission)
- AQMD Dust Control Review Guidelines
- Dust Mitigation Plan Approval
- Offered the third Thursday of the month

## RESERVATIONS REQUIRED:

- Call 1-866-861-DUST (1-866-861-3878) or EMAIL [dust\\_control@aqmd.gov](mailto:dust_control@aqmd.gov). Please leave you name, phone number and the number of attendees.

**DUST CONTROL IS REQUIRED 24 HOURS A DAY – 7 DAYS A WEEK – REGARDLESS OF CONSTRUCTION STATUS.**